

```
// $Id: named.conf,v 1.1.1.1 2001/10/15 07:44:36 kap Exp $

// -- THE FOLLOWING LINES WERE GENERATED BY PLESK. IF YOU MODIFY THEM, THEY WILL BE
// OVERWRITTEN WHEN THESE SETTINGS ARE MANAGED IN PLESK UI. --
options {
listen-on-v6 { any; };
    allow-recursion {
        localnets;
    };
    version "none";
    directory "/var";
    auth-nxdomain no;
    pid-file "/var/run/named/named.pid";
};

key "rndc-key" {
    algorithm hmac-md5;
    secret "CeMgS23y0oWE20nyv0x40Q==";
};

controls {
    inet 127.0.0.1 port 953
        allow { 127.0.0.1; } keys { "rndc-key"; };
};

zone "." {
    type hint;
    file "named.root";
};

zone "0.0.127.IN-ADDR.ARPA" {
    type master;
    file "localhost.rev";
};
// -- END OF LINES GENERATED BY PLESK. --

// -- PLEASE ADD YOUR CUSTOM DIRECTIVES BELOW THIS LINE. --
// ...
// -- END OF YOUR CUSTOM DIRECTIVES. --

// -- ALL LINES BELOW WERE GENERATED BY PLESK. IF YOU MODIFY THEM, THEY WILL BE
// OVERWRITTEN WHEN THESE SETTINGS ARE MANAGED IN PLESK UI. --
```